
STATE OF UTAH  DEPARTMENT OF NATURAL RESOURCES  DIVISION OF OIL, GAS AND MINING							FORM		
APPLICATION FOR PERMIT TO DRILL						1. WELL NAME and NUMBER Hawkeye Federal 5-27-8-16			
2. TYPE OF WORK  DRILL NEW WELL (	REENTER P&A	WELL DEEPEN \	WELL ( )		:	3. FIELD OR WILDO	AT IONUMENT BUTTE		
4. TYPE OF WELL		Methane Well: NO			-	5. UNIT or COMMUN	NITIZATION AGREE HAWKEYE (GRRV)	MENT NAME	
6. NAME OF OPERATOR	WFIELD PRODUCT				-	7. OPERATOR PHON	· · · · · ·		
8. ADDRESS OF OPERATOR	3 Box 3630 , Myt				-	9. OPERATOR E-MA			
10. MINERAL LEASE NUMBER (FEDERAL, INDIAN, OR STATE)	1	11. MINERAL OWNERS		9 6		12. SURFACE OWNE	RSHIP		
UTU-73088  13. NAME OF SURFACE OWNER (if box 12		FEDERAL ( INDIA)	N ( STATE (	FEE (		FEDERAL INC	DIAN STATE (	~ ~	
•									
15. ADDRESS OF SURFACE OWNER (if box						16. SURFACE OWNE	K E-MAIL (IT DOX I	.z = tee')	
17. INDIAN ALLOTTEE OR TRIBE NAME (if box 12 = 'INDIAN')		18. INTEND TO COMMI MULTIPLE FORMATION		_	.	19. SLANT	_	_	
		YES ( (Submit Commingling Application) NO (				VERTICAL 📵 DIR	ECTIONAL ( HC	ORIZONTAL (	
20. LOCATION OF WELL	FOO	TAGES	QTR-QTR	SECTIO	ON	TOWNSHIP	RANGE	MERIDIAN	
LOCATION AT SURFACE	2122 FNL 798 FWL		SWNW	27		8.0 S	16.0 E	S	
Top of Uppermost Producing Zone	2122 FNL 798 FWL		SWNW	27		8.0 S	16.0 E	S	
At Total Depth	2122 FNL 798 FWL		SWNW	27		8.0 S	16.0 E	S	
21. COUNTY  DUCHESNE	[2	22. DISTANCE TO NEA	REST LEASE LIN 798	E (Feet)	23. NUMBER OF ACRES IN DRILLING UNIT 40				
		25. DISTANCE TO NEA (Applied For Drilling or		AME POOL		<b>26. PROPOSED DEPTH</b> MD: 6530 TVD: 6530			
27. ELEVATION - GROUND LEVEL 5506	2	28. BOND NUMBER	VYB000493	29. SOURCE OF DRILLING WATER / WATER RIGHTS APPROVAL NUMBER IF APPLICABLE 43-7478					
		ATT	ACHMENTS						
VERIFY THE FOLLOWING	ARE ATTACHE	D IN ACCORDANCE	WITH THE U	TAH OIL A	ND G	AS CONSERVATION	ON GENERAL RU	ILES	
<b>✓</b> WELL PLAT OR MAP PREPARED BY	LICENSED SURV	EYOR OR ENGINEER	<b>№</b> сом	IPLETE DRII	LLING	PLAN			
AFFIDAVIT OF STATUS OF SURFACE	OWNER AGREE	MENT (IF FEE SURFAC	E) FORM	4 5. IF OPE	RATOR	IS OTHER THAN TH	IE LEASE OWNER		
DIRECTIONAL SURVEY PLAN (IF DI	RECTIONALLY O	R HORIZONTALLY	<b>№</b> торо	OGRAPHICA	L MAP				
NAME Mandie Crozier		TITLE Regulatory Tec	:h		PHON	<b>E</b> 435 646-4825			
SIGNATURE		<b>DATE</b> 06/19/2009			EMAIL	_ mcrozier@newfield.	com		
<b>API NUMBER ASSIGNED</b> 43013500630000		APPROVAL			B	Laggill			
					Per	rmit Manager			

API Well No: 43013500630000 Received: 6/19/2009

	Prop	oosed Hole, Casing, a	and Cement		
String	Hole Size	Casing Size	Top (MD)	Bottom (MD)	
Prod	7.875	5.5	0	6530	
Pipe	Grade	Length	Weight		
	Grade J-55 LT&C	6530	15.5		

API Well No: 43013500630000 Received: 6/19/2009

	Prop	oosed Hole, Casing, a	and Cement		
String	Hole Size	Casing Size	Top (MD)	Bottom (MD)	
Surf	12.25	8.625	0	290	
Pipe	Grade	Length	Weight		
	Grade J-55 ST&C	290	24.0		



### NEWFIELD PRODUCTION COMPANY HAWKEYE FEDERAL 5-27-8-16 SW/NW SECTION 27, T8S, R16E DUCHESNE COUNTY, UTAH

### ONSHORE ORDER NO. 1

### DRILLING PROGRAM

### 1. GEOLOGIC SURFACE FORMATION:

Uinta formation of Upper Eocene Age

### 2. ESTIMATED TOPS OF IMPORTANT GEOLOGIC MARKERS:

Uinta 0' - 1740' Green River 1740' Wasatch 6530'

Base of Moderately Saline Ground Water @ 425'

### 3. ESTIMATED DEPTHS OF ANTICIPATED WATER, OIL, GAS OR MINERALS:

Green River Formation 1740' - 6530' - Oil

### 4. PROPOSED CASING PROGRAM

Please refer to the Monument Butte Field Standard Operation Procedure (SOP).

### 5. MINIMUM SPECIFICATIONS FOR PRESSURE CONTROL:

Please refer to the Monument Butte Field SOP. See Exhibit "C".

### 6. TYPE AND CHARACTERISTICS OF THE PROPOSED CIRCULATION MUDS:

Please refer to the Monument Butte Field SOP.

### 7. AUXILIARY SAFETY EQUIPMENT TO BE USED:

Please refer to the Monument Butte Field SOP.

### 8. <u>TESTING, LOGGING AND CORING PROGRAMS:</u>

Please refer to the Monument Butte Field SOP.

### 9. ANTICIPATED ABNORMAL PRESSURE OR TEMPERATURE:


The anticipated maximum bottom hole pressure is 1800 psi. It is not anticipated that abnormal temperatures will be encountered.

### 10. ANTICIPATED STARTING DATE AND DURATION OF THE OPERATIONS:


Please refer to the Monument Butte Field SOP.


2-M SYSTEM


Blowout Prevention Equipment Systems




**EXHIBIT C** 










T		-		<u> </u>	я	4. 82E	. =/	9	ğ	11	ħ	×	١ .	0	ž,
	Surface Spud Drilling Wailing on Completion Producing Oil Well	Producing Gais Well Water Injection Well Dry Hole Temporarity Abandoned Plunded & Abandoned	Well at Well		я	cò.	/.	. 4	ã	E D	* \	2 6	- T-	1	İ
1 Wells ion	Surface Spud Drilling Waiting on Comple Producing Oil Well	Producing Gas Well Water Injection Well Dry Hole Temporarily Abando	Shut In Shut Water Source Well Wester Disposal Wester Meeting Stations	,		+5 .2		10	13 to		я	я	ROCKY MOUNTAINS	Exhibit A Durhane & Untub Counter	
Newfield Wells		Producing  Water Inj  Dry Hote  Temporar  Placed	Shuttin Shuttin Water S Water C	UnitOutlines	# LU		- 4 - 4	+1	3	<u>5</u>			ROCKY MO	Q i	90 mg
	B	2	2	я 2 Ц	(0	41 (1+2) -1	•	(96)	9	88	2	ñ			Derrie Course Number 2000 Derrie Course Matter Press (202) ND-0102
91	В	-			į	4.4	9	4	•2 n	z *	n	×		p	HOE
•	=	¥	я	z	» / 1 × 2	provide the same of the same o	2 2 4 4 2 2 3 6	=	*1 *1	*2 g	ž	×	241	=	
	9	2 LL	n	a	# 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 2 1	42 47 57 47 42 63 6 43 42	•§						LI	+
		O)					4 -	4 2	*	X 80 <b>1</b>	a	*	(e)	X 8	
•	•	2 7	5	/	() n	1 2 2 2 1 2 2 2 2 1	/101 of of of /1 of of /101/1	4 4 14 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	4 4 4 <sup>2</sup> +1	19S	÷1	В	3₹6	SOL.	
w		44	8	n /n	9 4	11111	3 74	1 ·1 ·1 ·1	+1	ug.	•2 °2 •2 °2 •2 •2 •2 •2	8			
	7		2 5	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2 2 2 2 2 2 3 4		4 /23/	43 43 43 43 44 14 41 41 41	4 4	As his report of his his his his report of his his report of his his report of his his his his report of his	n				
			50	8 1 3 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	·1 ·2 +2		4 4 4 4 4 4 4 4 4 4 4	200	4.4	to the second	Я	5	•	*	
-	2	2	7. ·2	2 2 3	NU		14 12 TE	3 4 7	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	*R 15	*	(e	22	
	s	(3:	n 2 2			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	•2 •2 ←•2 •3 •3 ←•2 •3 •3 ←•3		7147 7147 1417 1417 1417 1417 1417 1417	1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4		8		=	
n	9	<u>s</u>	21J		3.7 8.3 °3	1 m2 d	0.02 ± 0.02	14 5 4 14 5 5 4 4	4.7.3.4	-	15			ITI	
		χ Σ	2 2 2 2 2 3	131	100		12.5		が続	22 22 22 22 22 22 22 22 22 22 22 22 22	T9S-R	3	"	K 8	
ার্	•	4	я • ў • .х	2 2 3 2 2 4 2 2 5	111		14   P. 16   16   16   16   16   16   16   16			2 2 2 2 4 2 2	2 23	я	*	801.	ć
•	•	26	2	4 3 2 3	2 × 3 × 3	11111	1 1 1	N.	1117	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	-3 -3 -5 -5 -5 -5 -5 -5 -5 -5 -5 -5 -5 -5 -5	я	w .		
ø	380	#	2 2 2 2 3 4 4 5 6 6 7 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	2 + 2 2 + 2 2 + 2	1914				11/2 1		CO. 177 T.				-
			4 4 4			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			4 4 4		17.1 R	a.			
7	p.	g.	z d		PAR N	Y X	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4		The Cartes	प्रस्ते स्टब्स् स्टब्स् स्टब्स्	4 00 m	×	-		ı
	=	*	R -	12 14 15 N			7.7		4 24	1 4 4 4 4 1 2 4 4 1 2 4 4	21 7 2	8	**	T .	
0	2	2M2	2 20	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	123					4 4 4 4 4 8 4 4 4 4 4 4				tkJ	
		(y)		n n	*	11/1/1	12 4 4 12 4 4 14 4 4	1		1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	2 130	+1 2		6 1	2
	(0)	Z *	B)	+-	7-1			1 2 2 1	** ** ** ** * * * * *	1 2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	S-R16	я	7	1108	
39		n	Я	2 -3 -3 -3 -3 -3 -3 -3 -3 -3 -3 -3 -3 -3	Į.	H 1/2/1	於	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	8 4 5 <u>8</u> • 9 9 9 9 • 9 9 9	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	• 100	и	J. ini	1)	0
		2	2	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	og R	4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1 /2 / / 2 / / / / 3 + / 4 / / /		4 - 42 4 - 42 4 - 42	15. E		-		_
				+	2 8	8	1.44	13.33		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	SC C	ñ		- 10	<b>•</b>
-	ä	2	z.	×	, s	-≱ LL	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 2 4 V	111		2 2 2 2 2 2 2 2	*	÷	W	2
H	£	48-R3W	я	R	N N	* R (/	2 03 \ 2 03	THE THE REAL PROPERTY.	1 1 1 1	9.3	3 1 2 3 3 1 2 3	*		1	=
,	91	2 2	я	ta .	x	,	1 2.05	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4 34 3	1 2 2 3	1 2 2 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	2 • 1 · "	X300	000	_
		9		n	я	4	9	81	1011	2 2 2 2	F. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4.		000-		9









### NEWFIELD PRODUCTION COMPANY HAWKEYE FEDERAL 5-27-8-16 SW/NW SECTION 27, T8S, R16E DUCHESNE COUNTY, UTAH

### ONSHORE ORDER NO. 1

### MULTI-POINT SURFACE USE & OPERATIONS PLAN

### 1. EXISTING ROADS

See attached Topographic Map "A"

To reach Newfield Production Company well location site Hawkeye Federal 5-27-8-16 located in the SW 1/4 NW 1/4 Section 27, T8S, R16E, Duchesne County, Utah:

Proceed southwesterly out of Myton, Utah along Highway 40 - 1.4 miles  $\pm$  to the junction of this highway and UT State Hwy 53; proceed southeasterly -6.2 miles  $\pm$  to it's junction with an existing road to the southwest; proceed in an southwesterly direction -3.2 miles  $\pm$  to it's junction with an existing road to the northwest; proceed in a northwesterly direction -0.5 miles  $\pm$  to it's junction with the beginning of the proposed access road; proceed in a northerly direction along the proposed access road -3.560°  $\pm$  to the proposed well location.

### 2. PLANNED ACCESS ROAD

See Topographic Map "B" for the location of the proposed access road.

### 3. LOCATION OF EXISTING WELLS

Refer to Exhibit "B".

### 4. LOCATION OF EXISTING AND/OR PROPOSED FACILITIES

All permanent surface equipment will be painted Carlsbad Canyon.

Please refer to the Monument Butte Field Standard Operating Procedure (SOP).

### 5. LOCATION AND TYPE OF WATER SUPPLY

Newfield Production will transport water by truck for drilling purposes from the following water sources:

Johnson Water District Water Right: 43-7478

Neil Moon Pond

Water Right: 43-11787

Maurice Harvey Pond Water Right: 47-1358

Newfield Collector Well

Water Right: 41-3530 (A30414DV, contracted with the Duchesne County Conservancy District).

Please refer to the Monument Butte Field SOP. See Exhibit "A".

### 6. SOURCE OF CONSTRUCTION MATERIALS

Please refer to the Monument Butte Field SOP.

### 7. METHODS FOR HANDLING WASTE DISPOSAL

Please refer to the Monument Butte Field SOP.

### 8. ANCILLARY FACILITIES

Please refer to the Monument Butte Field SOP.

### 9. WELL SITE LAYOUT

See attached Location Layout Diagram.

### 10. PLANS FOR RESTORATION OF SURFACE

Please refer to the Monument Butte Field SOP.

11. <u>SURFACE OWNERSHIP</u> - Bureau Of Land Management (Proposed location and access roads leading to).

### 12. OTHER ADDITIONAL INFORMATION

The Archaeological Resource Survey and Paleontological Resource Survey for this area are attached. MOAC Report #08-302, 1/20/09. Paleontological Resource Survey prepared by, Wade E. Miller, 11/11/08. See attached report cover pages, Exhibit "D".

Newfield Production Company requests a 1,260' ROW in lease UTU-62848 and 2,300' of disturbed area be granted in Lease UTU-73088 to allow for construction of the planned access road. Refer to Topographic Map "B". A permanent width of 30' and a running surface of 18' is proposed for the planned access road. The construction phase of the planned access road will last approximately (5) days. The planned access road will be an 18' crown road (9' either side of the centerline) with drainage ditches along either side of the proposed road whether it is deemed necessary in order to handle any run-off from normal meteorological conditions that are prevalent to this area. The maximum grade will be less than 8%. There will be no culverts required along this access road. There will be barrow ditches and turnouts as needed along this road. There are no fences encountered along this proposed road. There will be no new gates or cattle guards required. All construction material for this access road will be borrowed material accumulated during construction of the access road.

Newfield Production Company requests 1,860' of disturbed area be granted in Lease UTU-73088 to allow for construction of the proposed surface gas lines. It is proposed that the disturbed area will temporarily be 50' wide to allow for construction of a 10" or smaller gas gathering line, and a 3" poly fuel gas line, with a permanent width of 30' upon completion of the proposed gas lines. The construction phase of the proposed gas lines will last approximately (5) days. Both lines will tie in to the existing pipeline infrastructure. **Refer to Topographic Map "C."** For a ROW plan of development, please refer to the Monument Butte Field SOP.

Newfield Production Company requests 1,860' of disturbed area be granted in Lease UTU-73088 to allow for construction of the proposed water lines. It is proposed that the disturbed area will temporarily be 50' wide to allow for construction of a buried 3" steel water injection line and a buried 3" poly water return line, with a permanent width of 30' upon completion of the proposed water return line. The construction phase of the proposed water lines will last approximately (5) days. **Refer to Topographic Map "C."** For a ROW plan of development, please refer to the Monument Butte Field SOP. In the event that the proposed well is converted to a water injection well, a separate injection permit will be applied for through the proper agencies.

#### Water Disposal

Immediately upon first production, all produced water will be confined to a steel storage tank. If the production water meets quality guidelines, it is transported to the Ashley, Monument Butte, Jonah, and Beluga water injection facilities by company or contract trucks. Subsequently, the produced water is injected into approved Class II wells to enhance Newfield's secondary recovery project.

Water not meeting quality criteria, is disposed at Newfield's Pariette #4 disposal well (Sec. 7, T9S R19E), State of Utah approved surface disposal facilities, or Federally approved surface disposal facilities.

### Threatened, Endangered, And Other Sensitive Species

Mountain Plover: If new construction or surface disturbing activities are scheduled to occur between May 15 and June 15, detailed surveys of the area within 0.5 mile of the proposed location and within 300 feet of proposed access routes must be conducted to detect the presence of mountain plovers. All surveys must be conducted in accordance with the survey protocols outlined in the most recent USFWS Survey Protocol. Surveys must be completed prior to initiating new construction or surface disturbing activities. No new construction or surface disturbing activities will be allowed between May 15 and June 15 within a 0.5 mile radius of any documented mountain plover nest site.

**Burrowing Owl**: Due to the proximity of the location to active prairie dog towns, there is the potential to encounter nesting burrowing owls between April 1 and August 15. If new construction or surface disturbing activities are scheduled between April 1 and August 15, pre-construction surveys will be conducted to detect the presence of nesting burrowing owls within 0.5 mile of any new construction or surface disturbing activity (see Vernal BLM Field Office Protocol). No new construction or surface disturbing activities will be allowed between April 1 and August 15 within a 0.5 mile radius of any active burrowing owl nest.

#### Reserve Pit Liner

A 16 mil liner with a double layer of felt is required. Please refer to the Monument Butte Field SOP.

#### **Location and Reserve Pit Reclamation**

Please refer to the Monument Butte Field SOP.

The following seed mixture will be used on the topsoil stockpile, to the recontoured surface of the reserve pit, and for final reclamation: (All poundages are in pure live seed)

Squirrell Tail	Elymus Elymoides	6 lbs/acre
Siberian Wheatgrass	Agropyron Fragile	2 lbs/acre
Gardner Saltbush	Atriplex Gardneri	1 lbs/acre
Shadscale	Atriplex Confertifolia	1 lbs/acre
Fourwing Saltbush	Atriplex Canescens	1 lbs/acre
Scarlet Globemallow	Sphaeralcea Conccinea	0.20 lbs/acre
Forage Kochia	Rochia Prostrata	0.20 lbs/acre

### **Details of the On-Site Inspection**

The proposed Hawkeye Federal 5-27-8-16 was on-sited on 6/4/09. The following were present; Tim Eaton (Newfield Production), Reed Durfey (Newfield Production), Christine Cimiluca (Bureau of Land Management), and James Herford (Bureau of Land Management). Weather conditions were clear and ground cover was 100% open.

### LESSEE'S OR OPERATORS REPRESENTATIVE AND CERTIFICATION

Representative

### 'APIWellNo:43013500630000'

Name: Dave Allred

Address: Route #3 Box 3630

Myton, UT 84052

Telephone: (435) 646-3721

### Certification

Please be advised that NEWFIELD PRODUCTION COMPANY is considered to be the operator of well #5-27-8-16 SW/NW Section 27, Township 8S, Range 16E: Lease UTU-73088 Duchesne County, Utah: and is responsible under the terms and conditions of the lease for the operations conducted upon the leased lands. Bond coverage is provided by, Federal Bond #WYB000493.

I hereby certify that the proposed drill site and access route have been inspected, and I am familiar with the conditions which currently exist; that the statements made in this plan are true and correct to the best of my knowledge; and that the work associated with the operations proposed here will be performed by Newfield Production Company and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

Date Mandie Crozier
Regulatory Specialist

Newfield Production Company

### **Newfield Production Company Proposed Site Facility Diagram**

Hawkeye Federal 5-27-8-16 SW/NW Sec. 27, T8S, R16E Duchesne County, Utah UTU-73088




Exhibit "D"

### **CULTURAL RESOURCE INVENTORY OF** NEWFIELD EXPLORATION'S SIX BLOCK PARCELS (T8S, R16E, SECTIONS 19, 27, 28, 29, 30, AND 31) DUCHESNE COUNTY, UTAH

By:

Nicole Shelnut

Prepared For:

**Bureau of Land Management** Vernal Field Office

Prepared Under Contract With:

**Newfield Exploration Company** Rt. 3 Box 3630 Myton, UT 84052

Prepared By:

Montgomery Archaeological Consultants, Inc. P.O. Box 219 Moab, Utah 84532

MOAC Report No. 08-302

January 20, 2009

United States Department of Interior (FLPMA) Permit No. 08-UT-60122

State of Utah Antiquities Project (Survey) Permit No. U-08-MQ-1228b

### NEWFIELD EXPLORATION COMPANY

# PALEONTOLOGICAL SURVEY OF PROPOSED PRODUCTION DEVELOPMENT AREAS, DUCHESNE COUNTY, UTAH

SE1/4, SW1/4 & SW1/4 & SE1/4, SE1/4, Sec. 2, T 9 S, R 16 E [14, 15 & 16-2-9-16]: SW1/4 & SE1/4, SW1/4 & SW1/4 & SE1/4, SE1/4; Sec.19, T 8 S, R 16 E [13,14,15 &16-19-8-16]; Section 22, T 8 S, R 16 E (excluding SW1/4, SW1/4 [13-22-8-16]); NW1/4 & SW1/4, NW 1/4 & NE1/4, NW1/4 & SW1/4, SW1/4; Section 23, T 8 S, R 16 E 4,5,11,12 & 13-23-8-16]; NE1/4 & NW1/4, NE1/4, All of the NW1/4; SW1/4, NE1/4; NE1/4, NW1/4 & SE1/4, SW1/4; Sec. 27, T 8 S, R 16 E [1,2,3,4,5,6,7,11,12 & 14-27-8-16]; All of the NE1/4; NW1/4 & SW1/4, SW1/4; Sec. 28, T 8 S, R 16 E [1,2,4,5,6,7,11,12 &14-28-8-16]; All of Section 29, T 8 S, R 16 E (excluding SW1/4 & SE1/4, SW1/4 [13 & 14-29-8-16])


### REPORT OF SURVEY

Prepared for:

**Newfield Exploration Company** 

Prepared be:

Wade E. Miller Consulting Paleontologist November 11, 2008



### **United States Department of the Interior**

### BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, Utah 84145-0155

IN REPLY REFER TO: 3160 (UT-922)

June 26, 2009

Memorandum

To: Assistant District Manager Minerals, Vernal District

From: Michael Coulthard, Petroleum Engineer

Subject: 2009 Plan of Development Hawkeye Unit,

Duchesne County, Utah.

Pursuant to email between Diana Whitney, Division of Oil, Gas and Mining, and Mickey Coulthard, Utah State Office, Bureau of Land Management, the following wells are planned for calendar year 2009 within the Hawkeye Unit, Duchesne County, Utah.

API# WELL NAME LOCATION

43-013-50056 Hawkeye Federal 12-27-8-16 Sec 27 T08S R16E 1902 FSL 0824 FWL 43-013-50057 Hawkeye Federal 11-27-8-16 Sec 27 T08S R16E 1863 FSL 2121 FWL 43-013-50058 Hawkeye Federal 7-27-8-16 Sec 27 T08S R16E 1971 FNL 1984 FEL 43-013-50063 Hawkeye Federal 5-27-8-16 Sec 27 T08S R16E 2122 FNL 0798 FWL 43-013-50064 Hawkeye Federal 6-27-8-16 Sec 27 T08S R16E 2170 FNL 1975 FWL

This office has no objection to permitting the wells at this time.

/s/ Michael L. Coulthard

bcc: File - Hawkeye Unit

Division of Oil Gas and Mining

Central Files Agr. Sec. Chron Fluid Chron

MCoulthard:mc:6-26-09

### WORKSHEET APPLICATION FOR PERMIT TO DRILL

APD RECEIVED:	6/19/2009		API NO. ASSIGNED:	43013500630000
WELL NAME:	Hawkeye Federal 5-27	7-8-16		
OPERATOR:	NEWFIELD PRODUCTI	ON COMPANY (N2695)	PHONE NUMBER:	435 646-4825
CONTACT:	Mandie Crozier			
PROPOSED LOCATION:	SWNW 27 080S 160E		Permit Tech Review:	<u>r</u>
SURFACE:	2122 FNL 0798 FWL		Engineering Review:	
воттом:	2122 FNL 0798 FWL		Geology Review:	
COUNTY:	DUCHESNE			
LATITUDE:	40.09035		LONGITUDE:	-110.11144
UTM SURF EASTINGS:	575749.00		NORTHINGS:	4437953.00
FIELD NAME:	MONUMENT BUTTE			
LEASE TYPE:	1 - Federal			
LEASE NUMBER:	UTU-73088 <b>P</b>	ROPOSED PRODUCING FORM	IATION(S): GREEN RIV	ER
SURFACE OWNER:	1 - Federal		COALBED METHANE:	NO
RECEIVED AND/OR REVIEV	VED:	LOCATION AND SITING	i:	
<b>∠</b> PLAT		R649-2-3.		
<b>▶ Bond:</b> FEDERAL - WYB00	)0493	Unit: HAWKEYE (GRR	V)	
Potash		R649-3-2. General		
Oil Shale 190-5				
Oil Shale 190-3		R649-3-3. Exception	on	
Oil Shale 190-13		Drilling Unit		
<b>✓ Water Permit:</b> 43-7478		<b>Board Cause No:</b>	Cause 213-05(A)	
RDCC Review:		Effective Date: 1	0/25/2006	
Fee Surface Agreemen	t	Siting: Suspends	General Siting	
Intent to Commingle		R649-3-11. Directi	onal Drill	
Commingling Approved				
Comments: Presite Cor	mpleted			
Stipulations: 4 - Federa	al Approval - dmason			

API Well No: 43013500630000



### State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER
Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

### Permit To Drill

\*\*\*\*\*

Well Name: Hawkeye Federal 5-27-8-16

API Well Number: 43013500630000 Lease Number: UTU-73088 Surface Owner: FEDERAL

Approval Date: 6/30/2009

### **Issued to:**

NEWFIELD PRODUCTION COMPANY, Rt 3 Box 3630, Myton, UT 84052

### **Authority:**

Pursuant to Utah Code Ann. §40-6-1 et seq., and Utah Administrative Code R649-3-1 et seq., the Utah Division of Oil, Gas and Mining issues conditions of approval, and permit to drill the listed well. This permit is issued in accordance with the requirements of Cause 213-05(A). The expected producing formation or pool is the GREEN RIVER Formation(s), completion into any other zones will require filing a Sundry Notice (Form 9). Completion and commingling of more than one pool will require approval in accordance with R649-3-22.

### **Duration:**

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date

### General:

Compliance with the requirements of Utah Admin. R. 649-1 et seq., the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

### **Conditions of Approval:**

State approval of this well does not supercede the required federal approval, which must be obtained prior to drilling.

### **Notification Requirements:**

The operator is required to notify the Division of Oil, Gas and Mining of the following actions during drilling of this well:

• Within 24 hours following the spudding of the well – contact Carol Daniels at 801-538-5284 (please leave a voicemail message if not available)

OR

submit an electronic sundry notice (pre-registration required) via the Utah Oil & Gas website at http://oilgas.ogm.utah.gov

### **Reporting Requirements:**

API Well No: 43013500630000

All reports, forms and submittals as required by the Utah Oil and Gas Conservation General Rules will be promptly filed with the Division of Oil, Gas and Mining, including but not limited to:

- Entity Action Form (Form 6) due within 5 days of spudding the well
- Monthly Status Report (Form 9) due by 5th day of the following calendar month
- Requests to Change Plans (Form 9) due prior to implementation
- Written Notice of Emergency Changes (Form 9) due within 5 days
- Notice of Operations Suspension or Resumption (Form 9) due prior to implementation
- Report of Water Encountered (Form 7) due within 30 days after completion
- Well Completion Report (Form 8) due within 30 days after completion or plugging

**Approved By:** 

Gil Hunt

Associate Director, Oil & Gas

Die Hunt

	STATE OF UTAH		FORM 9			
	DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING	3	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-73088			
SUNDF	RY NOTICES AND REPORTS ON	I WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:			
	sals to drill new wells, significantly deepen exist igged wells, or to drill horizontal laterals. Use Al		7.UNIT or CA AGREEMENT NAME: GMBU (GRRV)			
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: Hawkeye Federal 5-27-8-16			
2. NAME OF OPERATOR: NEWFIELD PRODUCTION COM	PANY		9. API NUMBER: 43013500630000			
3. ADDRESS OF OPERATOR: Rt 3 Box 3630 , Myton, UT, 84		PHONE NUMBER:	9. FIELD and POOL or WILDCAT: MONUMENT BUTTE			
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2122 FNL 0798 FWL			COUNTY: DUCHESNE			
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: SWNW Section: 27	P, RANGE, MERIDIAN: 7 Township: 08.0S Range: 16.0E Meridian: S		STATE: UTAH			
11. CHE	CK APPROPRIATE BOXES TO INDICATE NA	ATURE OF NOTICE, REPORT,	OR OTHER DATA			
TYPE OF SUBMISSION		TYPE OF ACTION				
NOTICE OF INTENT Approximate date work will start: 6/30/2010	☐ CHANGE TO PREVIOUS PLANS ☐	ALTER CASING CHANGE TUBING COMMINGLE PRODUCING FORMATIONS	☐ CASING REPAIR ☐ CHANGE WELL NAME ☐ CONVERT WELL TYPE			
SUBSEQUENT REPORT Date of Work Completion:	☐ DEEPEN ☐ □	FRACTURE TREAT PLUG AND ABANDON	□ NEW CONSTRUCTION □ PLUG BACK			
SPUD REPORT		RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION			
Date of Spud:		SIDETRACK TO REPAIR WELL VENT OR FLARE	☐ TEMPORARY ABANDON ☐ WATER DISPOSAL			
DRILLING REPORT Report Date:		SI TA STATUS EXTENSION	✓ APD EXTENSION			
12. DESCRIBE PROPOSED OR CO	WILDCAT WELL DETERMINATION   MPLETED OPERATIONS. Clearly show all pertinen	OTHER It details including dates, depths, vo	OTHER:			
	to extend the aplication permit to year.	drill this well for one	Approved by the Utah Division of Oil, Gas and Mining ate:  June 23, 2010  y:			
NAME (PLEASE PRINT) Mandie Crozier	<b>PHONE NUMBER</b> 435 646-4825	<b>TITLE</b> Regulatory Tech				
SIGNATURE N/A		<b>DATE</b> 6/16/2010				



### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

### Request for Permit Extension Validation Well Number 43013500630000

**API:** 43013500630000

Well Name: Hawkeye Federal 5-27-8-16

Location: 2122 FNL 0798 FWL QTR SWNW SEC 27 TWNP 080S RNG 160E MER S

Company Permit Issued to: NEWFIELD PRODUCTION COMPANY

**Date Original Permit Issued:** 6/30/2009

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that requ

	tion as submitted in t sion. Following is a ch						
	ated on private land, heed? 💮 Yes 🌘 No	ias the owne	rship changed	l, if so, has t	the surface	agreement be	en
	any wells been drilled requirements for this				hich would	affect the space	ing or
	here been any unit or s proposed well?			lace that co	uld affect t	he permitting o	r operatio
	there been any chang the proposed location			uding owne	rship, or rig	jhtof- way, whi	ich could
• Has ti	he approved source of	water for dr	illing changed	l? 🜘 Yes	No No		
	there been any physic je in plans from what					e which will red No	quire a
• Is bor	nding still in place, wh	ich covers th	nis proposed v	vell? 📵 Yo	es 📗 No	Approved by Utah Divisio il, Gas and M	n of
	Mandie Crozier	<b>Date:</b> 6/1					
Title:	Regulatory Tech Repre	senting: NE	WFIELD PRODU	CTION COMP	ANY Date:	June 23, 20	)10
					P	Millio on	

Sig

By: Dodg

	STATE OF UTAH		FORM 9			
	DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING	3	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-73088			
SUNDF	RY NOTICES AND REPORTS ON	I WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:			
	sals to drill new wells, significantly deepen exist igged wells, or to drill horizontal laterals. Use Al		7.UNIT or CA AGREEMENT NAME: GMBU (GRRV)			
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: Hawkeye Federal 5-27-8-16			
2. NAME OF OPERATOR: NEWFIELD PRODUCTION COM	PANY		9. API NUMBER: 43013500630000			
3. ADDRESS OF OPERATOR: Rt 3 Box 3630 , Myton, UT, 84		PHONE NUMBER:	9. FIELD and POOL or WILDCAT: MONUMENT BUTTE			
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2122 FNL 0798 FWL			COUNTY: DUCHESNE			
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: SWNW Section: 27	P, RANGE, MERIDIAN: 7 Township: 08.0S Range: 16.0E Meridian: S		STATE: UTAH			
11. CHE	CK APPROPRIATE BOXES TO INDICATE NA	ATURE OF NOTICE, REPORT,	OR OTHER DATA			
TYPE OF SUBMISSION		TYPE OF ACTION				
NOTICE OF INTENT Approximate date work will start: 6/30/2010	☐ CHANGE TO PREVIOUS PLANS ☐	ALTER CASING CHANGE TUBING COMMINGLE PRODUCING FORMATIONS	☐ CASING REPAIR ☐ CHANGE WELL NAME ☐ CONVERT WELL TYPE			
SUBSEQUENT REPORT Date of Work Completion:	☐ DEEPEN ☐ □	FRACTURE TREAT PLUG AND ABANDON	□ NEW CONSTRUCTION □ PLUG BACK			
SPUD REPORT		RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION			
Date of Spud:		SIDETRACK TO REPAIR WELL VENT OR FLARE	☐ TEMPORARY ABANDON ☐ WATER DISPOSAL			
DRILLING REPORT Report Date:		SI TA STATUS EXTENSION	✓ APD EXTENSION			
12. DESCRIBE PROPOSED OR CO	WILDCAT WELL DETERMINATION   MPLETED OPERATIONS. Clearly show all pertinen	OTHER It details including dates, depths, vo	OTHER:			
	to extend the aplication permit to year.	drill this well for one	Approved by the Utah Division of Oil, Gas and Mining ate:  June 23, 2010  y:			
NAME (PLEASE PRINT) Mandie Crozier	<b>PHONE NUMBER</b> 435 646-4825	<b>TITLE</b> Regulatory Tech				
SIGNATURE N/A		<b>DATE</b> 6/16/2010				



### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

### Request for Permit Extension Validation Well Number 43013500630000

**API:** 43013500630000

Well Name: Hawkeye Federal 5-27-8-16

Location: 2122 FNL 0798 FWL QTR SWNW SEC 27 TWNP 080S RNG 160E MER S

Company Permit Issued to: NEWFIELD PRODUCTION COMPANY

**Date Original Permit Issued:** 6/30/2009

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that requ

	tion as submitted in t sion. Following is a ch						
	ated on private land, heed? 💮 Yes 🌘 No	ias the owne	rship changed	l, if so, has t	the surface	agreement be	en
	any wells been drilled requirements for this				hich would	affect the space	ing or
	here been any unit or s proposed well?			lace that co	uld affect t	he permitting o	r operatio
	there been any chang the proposed location			uding owne	rship, or rig	jhtof- way, whi	ich could
• Has ti	he approved source of	water for dr	illing changed	l? 🜘 Yes	No No		
	there been any physic je in plans from what					e which will red No	quire a
• Is bor	nding still in place, wh	ich covers th	nis proposed v	vell? 📵 Yo	es 📗 No	Approved by Utah Divisio il, Gas and M	n of
	Mandie Crozier	<b>Date:</b> 6/1					
Title:	Regulatory Tech Repre	senting: NE	WFIELD PRODU	CTION COMP	ANY Date:	June 23, 20	)10
					P	Millio on	

Sig

By: Dodg

Sundry Number: 16118 API Well Number: 43013500630000

	STATE OF UTAH				FORM 9		
	DIVISION OF OIL, GAS, AND MI			5.LEASE UTU-73	DESIGNATION AND SERIAL NUMBER: 088		
SUNDF	RY NOTICES AND REPORTS	5 ON	WELLS	6. IF IN	DIAN, ALLOTTEE OR TRIBE NAME:		
	sals to drill new wells, significantly deeper igged wells, or to drill horizontal laterals. I			7.UNIT or CA AGREEMENT NAME: GMBU (GRRV)			
1. TYPE OF WELL Oil Well					8. WELL NAME and NUMBER: HAWKEYE FED 5-27-8-16		
2. NAME OF OPERATOR: NEWFIELD PRODUCTION COM	IPANY		<b>9. API NUMBER:</b> 43013500630000				
3. ADDRESS OF OPERATOR: Rt 3 Box 3630 , Myton, UT, 84		IONE NU	MBER:		and POOL or WILDCAT: IENT BUTTE		
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2122 FNL 0798 FWL				COUNTY: DUCHESNE			
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: SWNW Section: 27	P, RANGE, MERIDIAN: 7 Township: 08.0S Range: 16.0E Meridian	n: S		STATE: UTAH			
11. CHE	CK APPROPRIATE BOXES TO INDICA	ATE NA	TURE OF NOTICE, REPORT,	OR OTH	ER DATA		
TYPE OF SUBMISSION			TYPE OF ACTION				
_	☐ ACIDIZE		LTER CASING		CASING REPAIR		
NOTICE OF INTENT Approximate date work will start:	☐ CHANGE TO PREVIOUS PLANS	□ сі	HANGE TUBING		CHANGE WELL NAME		
6/30/2011	☐ CHANGE WELL STATUS	□ co	OMMINGLE PRODUCING FORMATIONS		CONVERT WELL TYPE		
SUBSEQUENT REPORT	DEEPEN	☐ FI	RACTURE TREAT		NEW CONSTRUCTION		
Date of Work Completion:	OPERATOR CHANGE	□ ы	LUG AND ABANDON		PLUG BACK		
	☐ PRODUCTION START OR RESUME	□ R	ECLAMATION OF WELL SITE		RECOMPLETE DIFFERENT FORMATION		
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	□ s:	IDETRACK TO REPAIR WELL		TEMPORARY ABANDON		
	☐ TUBING REPAIR	□ v	ENT OR FLARE		WATER DISPOSAL		
☐ DRILLING REPORT	☐ WATER SHUTOFF	□ s:	I TA STATUS EXTENSION	1	APD EXTENSION		
Report Date:	☐ WILDCAT WELL DETERMINATION	□ o <sup>.</sup>	THER	ОТНЕ	R:		
12 DESCRIPE PROPOSED OR CO	MPLETED OPERATIONS. Clearly show all pe				Į		
	extend the Application for Pe		•	•	tc.		
	year.						
	•				pproved by the		
					tah Division of , Gas and Mining		
				OII,	_		
			D	ate:_	06/27/2011		
				F	M ha on		
			В	h: 🗥	was free		
					73		
NAME (PLEASE PRINT)	PHONE NUMBER	R	TITLE				
Mandie Crozier	435 646-4825		Regulatory Tech				
SIGNATURE N/A			<b>DATE</b> 6/21/2011				

Sundry Number: 16118 API Well Number: 43013500630000



### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

### Request for Permit Extension Validation Well Number 43013500630000

**API:** 43013500630000

Well Name: HAWKEYE FED 5-27-8-16

Location: 2122 FNL 0798 FWL QTR SWNW SEC 27 TWNP 080S RNG 160E MER S

Company Permit Issued to: NEWFIELD PRODUCTION COMPANY

**Date Original Permit Issued:** 6/30/2009

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

<ul> <li>If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes </li> <li>No</li> </ul>
<ul> <li>Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?</li> <li>Yes</li> <li>No</li> </ul>
<ul> <li>Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well?</li> <li>Yes</li> <li>No</li> </ul>
<ul> <li>Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location?</li> <li>Yes </li> <li>No</li> </ul>
• Has the approved source of water for drilling changed?   Yes   No
<ul> <li>Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?</li> <li>Yes</li> <li>No</li> </ul>
• Is bonding still in place, which covers this proposed well?   Yes   No

**Signature:** Mandie Crozier **Date:** 6/21/2011

Title: Regulatory Tech Representing: NEWFIELD PRODUCTION COMPANY

Form 3160-3 (August 2007)

## UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires July 31, 2010

5. Lease Serial No. UTU-73088

APPLICATION FOR PERMIT TO DRILL OR REENTER			6. If Indian, Allotee or Tribe Name NA		
la. Type of work:			7 If Unit or CA Agreement, Name and No.  Hawkeye Greater Mra Butte		
lb. Type of Well:  Oil Well  Gas Well Other  Single Zone  Multiple Zone			Lease Name and Well No.     Hawkeye Federal 5-27-8-16		
2. Name of Operator Newfield Production Company			9. API Well No. 43-013 - 50063		
3a. Address Route #3 Box 3630, Myton UT 84052	3b. Phone No. (include area code) (435) 646-3721		10. Field and Pool, or Exploratory  Monument Butte		
4. Location of Well (Report location clearly and in accordance with any State requirements.*)  At surface SW/NW 2122' FNL 798' FWL			11. Sec., T. R. M. or Blk.and Survey or Area Sec. 27, T8S R16E		-
At proposed prod. zone  14. Distance in miles and direction from nearest town or post office*  Approximately 12.0 miles southwest of Myton, UT			12. County or Parish Duchesne	13. State	-
15. Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any)	16. No. of acres in lease 17. Span		ing Unit dedicated to this well  40 Acres		-
18. Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft.  Approx. 1227'	19. Proposed Depth 6,530'	V	/BIA Bond No. on file WYB000493		
21. Elevations (Show whether DF, KDB, RT, GL, etc.) 5506' GL	22 Approximate date work will sta	ut* XI	23. Estimated duration (7) days from SPUD to rig release		
The following, completed in accordance with the requirements of Onshi	24. Attachments	ttached to th	is form:		-
<ol> <li>Well plat certified by a registered surveyor.</li> <li>A Drilling Plan.</li> <li>A Surface Use Plan (if the location is on National Forest System SUPO must be filed with the appropriate Forest Service Office).</li> </ol>	4. Bond to cover 1 Item 20 above).  Lands, the 5. Operator certification.	he operatio	ns unless covered by an exist		
25. Signature Corollo Curpo  Title  Regulatory Specialist	Name (Printed/Typed) Mandie Crozier		Date (	0/18/09	• :
Approved by (Signature)  Title Assistant Field Manager	Name (Printed/Typed) Office	Hn	the Date	JUL 22	20
Lands & Mineral Resources  Application approval does not warrant or certify that the applicant hol conduct operations thereon.  Conditions of approval, if any, are attached.			OFFICE oject lease which would entitle APPROVAL ATTAC	the applicant to	•
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a states any false, fictitious or fraudulent statements or representations as	crime for any person knowingly and sto any matter within its jurisdiction.	willfully to n	nake to any department or age	ency of the United	:
		The state of the s	Charles II & Charles Bare		

(Continued on page 2)

**NOTICE OF APPROVAL** 

(Linstructions on page 2)

JUN 2 9 2009

**UDOGM** 

AUG 0 2 2011

DIV. OF OIL, GAS & MINING

AFMSS# 095x507594



### UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT **VERNAL FIELD OFFICE**

**VERNAL, UT 84078** 

(435) 781-4400



### CONDITIONS OF APPROVAL FOR APPLICATION FOR PERMIT TO DRILL

Company: Well No: API No:

**Newfield Production Company** Hawkeye Federal 5-27-8-16

170 South 500 East

43-013-50063

Location: Lease No:

Agreement:

SWNW, Sec. 27, T8S, R16E

UTU-73088

**Greater Monument Butte Unit** 

**OFFICE NUMBER:** 

(435) 781-4400

**OFFICE FAX NUMBER:** 

(435) 781-3420

### A COPY OF THESE CONDITIONS SHALL BE FURNISHED TO YOUR FIELD REPRESENTATIVE TO INSURE COMPLIANCE

All lease and/or unit operations are to be conducted in such a manner that full compliance is made with the applicable laws, regulations (43 CFR Part 3160), and this approved Application for Permit to Drill including Surface and Downhole Conditions of Approval. The operator is considered fully responsible for the actions of his subcontractors. A copy of the approved APD must be on location during construction, drilling, and completion operations. This permit is approved for a two (2) year period, or until lease expiration, whichever occurs first. An additional extension, up to two (2) years, may be applied for by sundry notice prior to expiration.

### NOTIFICATION REQUIREMENTS

Location Construction (Notify Environmental Scientist)	-	Forty-Eight (48) hours prior to construction of location and access roads.
Location Completion (Notify Environmental Scientist)	-	Prior to moving on the drilling rig.
Spud Notice (Notify Petroleum Engineer)	-	Twenty-Four (24) hours prior to spudding the well.
Casing String & Cementing (Notify Supv. Petroleum Tech.)	-	Twenty-Four (24) hours prior to running casing and cementing all casing strings to: ut vn opreport@blm.gov.
BOP & Related Equipment Tests (Notify Supv. Petroleum Tech.)	-	Twenty-Four (24) hours prior to initiating pressure tests.
First Production Notice (Notify Petroleum Engineer)	-	Within Five (5) business days after new well begins or production resumes after well has been off production for more than ninety (90) days.

### SURFACE USE PROGRAM CONDITIONS OF APPROVAL (COAs)

- All new and replacement internal combustion gas field engines of less than or equal to 300 designrated horsepower must not emit more than 2 gms of NO<sub>x</sub> per horsepower-hour. This requirement does not apply to gas field engines of less than or equal to 40 design-rated horsepower.
- All and replacement internal combustion gas field engines of greater than 300 design rated horsepower must not emit more than 1.0 gms of NO<sub>x</sub> per horsepower-hour.
- If there is an active Gilsonite mining operation within 2 miles of the well location, operator shall notify the Gilsonite operator at least 48 hours prior to any blasting during construction.
- If paleontological materials are uncovered during construction, the operator is to immediately stop
  work and contact the Authorized Officer (AO). A determination will be made by the AO as to what
  mitigation may be necessary for the discovered paleontologic material before construction can
  continue.
- Drill cuttings will be contained and buried in the reserve pit. Drilling fluids, including salts and chemicals, will be contained in the reserve pit. Upon termination of drilling and completion operations, the liquid contents of the reserve pit will be used at the next drill site or will be removed and disposed of at an approved waste disposal facility within 120 days after drilling is terminated. Immediately upon well completion, any hydrocarbons in the pit will be removed in accordance with 43 CFR 3162.7-1 (Newfield SOP 2003).
- Any oil, gas, saltwater, or other noxious fluid spills will be immediately removed and transported to an approved disposal site (Newfield SOP 2003).
- No hazardous wastes (as defined in 40 CFR 355 or subject to reporting under SARA Title III) will be used, produced, stored, transported, or disposed of annually in association with the drilling, testing, or completing of this well (Newfield SOP 2003).
- Production facilities shall be placed towards the front of the location, when on cut, to maximize the
  amount of reclamation that is to be done when the well goes into production. Any additional unused
  areas of the well pad will undergo interim reclamation as well to keep the topsoil being stripped
  viable and healthy until final reclamation takes place.
- Topsoil shall be stored on location for reclamation purposes only. Topsoil pile shall be marked and piled no greater than 8 feet in height to minimize the potential of soils loss to erosional forces.
- Hospital mufflers shall be placed on all pump jacks in this proposal, to minimize the sound impacts in an area that had raptors frequenting the area.
- All production facilities for each of the 27 proposed locations will be painted Covert Green in the new BLM approved Environmental Color Chart.
- Reclamation monitoring report shall be submitted March 31<sup>st</sup> of each year following the start of any reclamation project for any of the 27 proposed well locations.
- Newfield will follow their approved reclamation plan for interim and final reclamation. The goal is to reach 75% native vegetated basal cover within 5years of interim reclamation efforts. However, if not reached after 5 years some additional suggestions on new methods will be applied to help increase the reclamation potential.

- Golden Eagle timing restriction on the 8-22-8-16 location.
- Construction and drilling is not allowed from January 1 August 31 to minimize impacts during Golden eagle nesting. If it is anticipated that construction or drilling will occur during the given timing restriction, a BLM qualified biologist shall be notified so surveys can be conducted.
   Depending upon the results of the surveys, permission to proceed may or may not be granted by the BLM authorized officer.
- Mountain Plover timing on the following wells:
- 15-22-8-16, 8-22-8-16, 3-22-8-16,4-22-8-16, 6-22-8-16, 4-27-8-16, 16-22-8-16, 1-27-8-16, 2-27-8-16, 9-20-8-16, 14-27-8-16, 10-22-8-16, 1-22-8-16, 5-22-8-16, 9-22-8-16, 2-22-8-16, 7-22-8-16, 12-27-8-16, 11-27-8-16, 7-27-8-16, 6-27-8-16, 5-27-8-16, 14-22-8-16, 12-22-8-16, 11-22-8-16, 16-19-8-16, 15-19-8-16.
- Construction and drilling is not allowed from May 1 June 15 to minimize impacts during mountain
  plover nesting. If it is anticipated that construction or drilling will occur during the given timing
  restriction, a BLM or qualified biologist shall be notified so surveys can be conducted. Depending
  upon the results of the surveys, permission to proceed may or may not be granted by the BLM
  Authorized Officer.
- Burrowing Owl timing on the following wells:
- 15-22-8-16, 8-22-8-16, 3-22-8-16,4-22-8-16, 6-22-8-16, 4-27-8-16, 16-22-8-16, 1-27-8-16, 2-27-8-16, 9-20-8-16, 14-27-8-16, 10-22-8-16, 1-22-8-16, 5-22-8-16, 9-22-8-16, 2-22-8-16, 7-22-8-16, 12-27-8-16, 11-27-8-16, 7-27-8-16, 6-27-8-16, 5-27-8-16, 14-22-8-16, 12-22-8-16, 11-22-8-16, 16-19-8-16, 15-19-8-16, 14-19-8-16, 13-19-8-16.
- Construction and drilling is not allowed from March 1 August 31 to minimize impacts during burrowing owl nesting. If it is anticipated that construction or drilling will occur during the given timing restriction, a BLM or qualified biologist shall be notified so surveys can be conducted.
   Depending upon the results of the surveys, permission to proceed may or may not be granted by the BLM Authorized Officer
- Immediately upon well completion, the location and surrounding area will be cleared of all unused tubing, equipment, debris, materials, and trash. Any hydrocarbons in the pit will be removed in accordance with 43 CFR 3162.7-1. Also, reserve pit will be closed within 180 days of the well sites going into production in accordance with Onshore Order #1 regulations. Pits will undergo recontouring, seed bed preparation, and seeded with approved seed mix.
- All pipelines and roads will be restricted to one single 60 foot width of disturbance. This is will
  decrease potential impacts to soils and native vegetation, and lessen the overall footprint, when
  vegetation becomes reestablished.

# DOWNHOLE PROGRAM CONDITIONS OF APPROVAL (COAs)

#### SITE SPECIFIC DOWNHOLE COAs:

 Newfield Production Co. shall adhere to all referenced requirements in the SOP (version: June 24, 2008) along with all Oil and Gas rules and requirements listed in the Code of Federal Regulations and all Federal Onshore Oil and Gas Orders.

All provisions outlined in Onshore Oil & Gas Order #2 Drilling Operations shall be strictly adhered to. The following items are emphasized:

#### DRILLING/COMPLETION/PRODUCING OPERATING STANDARDS

- The spud date and time shall be reported orally to Vernal Field Office within 24 hours of spudding.
- Notify Vernal Field Office Supervisory Petroleum Engineering Technician at least 24 hours in advance of casing cementing operations and BOPE & casing pressure tests.
- All requirements listed in Onshore Order #2 III. E. Special Drilling Operations are applicable for air drilling of surface hole.
- Blowout prevention equipment (BOPE) shall remain in use until the well is completed or abandoned. Closing unit controls shall remain unobstructed and readily accessible at all times. Choke manifolds shall be located outside of the rig substructure.
- All BOPE components shall be inspected daily and those inspections shall be recorded in the daily drilling report. Components shall be operated and tested as required by Onshore Oil & Gas Order No. 2 to insure good mechanical working order. All BOPE pressure tests shall be performed by a test pump with a chart recorder and <u>NOT</u> by the rig pumps. Test shall be reported in the driller's log.
- BOP drills shall be initially conducted by each drilling crew within 24 hours of drilling out from under the surface casing and weekly thereafter as specified in Onshore Oil & Gas Order No. 2.
- Casing pressure tests are required before drilling out from under all casing strings set and cemented in place.
- No aggressive/fresh hard-banded drill pipe shall be used within casing.
- Cement baskets shall not be run on surface casing.
- The operator must report all shows of water or water-bearing sands to the BLM. If flowing water is
  encountered it must be sampled, analyzed, and a copy of the analyses submitted to the BLM Vernal
  Field Office.
- The operator must report encounters of all non oil & gas mineral resources (such as Gilsonite, tar sands, oil shale, trona, etc.) to the Vernal Field Office, in writing, within 5 working days of each encounter. Each report shall include the well name/number, well location, date and depth (from KB or GL) of encounter, vertical footage of the encounter and, the name of the person making the report (along with a telephone number) should the BLM need to obtain additional information.

- A complete set of angular deviation and directional surveys of a directional well will be submitted to the Vernal BLM office engineer within 30 days of the completion of the well.
- While actively drilling, chronologic drilling progress reports shall be filed directly with the BLM,
   Vernal Field Office on a weekly basis in sundry, letter format or e-mail to the Petroleum Engineers until the well is completed.
- A cement bond log (CBL) will be run from the production casing shoe to the top of cement and shall be utilized to determine the bond quality for the production casing. Submit a field copy of the CBL to this office.
- Please submit an electronic copy of all other logs run on this well in LAS format to UT\_VN\_Welllogs@BLM.gov. This submission will supersede the requirement for submittal of paper logs to the BLM.
- There shall be no deviation from the proposed drilling, completion, and/or workover program as approved. Safe drilling and operating practices must be observed. Any changes in operation must have prior approval from the BLM Vernal Field Office.

#### **OPERATING REQUIREMENT REMINDERS:**

- All wells, whether drilling, producing, suspended, or abandoned, shall be identified in accordance with 43 CFR 3162.6. There shall be a sign or marker with the name of the operator, lease serial number, well number, and surveyed description of the well.
- For information regarding production reporting, contact the Office of Natural Resources Revenue (ONRR) at <a href="https://www.ONRR.gov">www.ONRR.gov</a>.
- Should the well be successfully completed for production, the BLM Vernal Field office must be
  notified when it is placed in a producing status. Such notification will be by written communication
  and must be received in this office by not later than the fifth business day following the date on
  which the well is placed on production. The notification shall provide, as a minimum, the following
  informational items:
  - Operator name, address, and telephone number.
  - Well name and number.
  - Well location (¼¼, Sec., Twn, Rng, and P.M.).
  - Date well was placed in a producing status (date of first production for which royalty will be paid).
  - o The nature of the well's production, (i.e., crude oil, or crude oil and casing head gas, or natural gas and entrained liquid hydrocarbons).
  - o The Federal or Indian lease prefix and number on which the well is located; otherwise the non-Federal or non-Indian land category, i.e., State or private.
  - Unit agreement and/or participating area name and number, if applicable.
  - o Communitization agreement number, if applicable.
- Any venting or flaring of gas shall be done in accordance with Notice to Lessees (NTL) 4A and needs prior approval from the BLM Vernal Field Office.
- All undesirable events (fires, accidents, blowouts, spills, discharges) as specified in NTL 3A will be reported to the BLM, Vernal Field Office. Major events, as defined in NTL3A, shall be reported verbally within 24 hours, followed by a written report within 15 days. "Other than Major Events" will be reported in writing within 15 days. "Minor Events" will be reported on the Monthly Report of Operations and Production.
- Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (BLM Form 3160-4) shall be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3162.4-1. Two copies of all logs run, core descriptions, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, shall be filed on BLM Form 3160-4. Submit with the well completion report a geologic report including, at a minimum, formation tops, and a summary and conclusions. Also include deviation surveys, sample descriptions, strip logs,

core data, drill stem test data, and results of production tests if performed. Samples (cuttings, fluid, and/or gas) shall be submitted only when requested by the BLM, Vernal Field Office.

- All off-lease storage, off-lease measurement, or commingling on-lease or off-lease, shall have prior written approval from the BLM Vernal Field Office.
- Oil and gas meters shall be calibrated in place prior to any deliveries. The BLM Vernal Field Office
  Petroleum Engineers will be provided with a date and time for the initial meter calibration and all
  future meter proving schedules. A copy of the meter calibration reports shall be submitted to the
  BLM Vernal Field Office. All measurement facilities will conform to the API standards for liquid
  hydrocarbons and the AGA standards for natural gas measurement. All measurement points shall
  be identified as the point of sale or allocation for royalty purposes.
- A schematic facilities diagram as required by Onshore Oil & Gas Order No. 3 shall be submitted to the BLM Vernal Field Office within 30 days of installation or first production, whichever occurs first. All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with Onshore Oil & Gas Order No. 3.
- Any additional construction, reconstruction, or alterations of facilities, including roads, gathering
  lines, batteries, etc., which will result in the disturbance of new ground, shall require the filing of a
  suitable plan and need prior approval of the BLM Vernal Field Office. Emergency approval may be
  obtained orally, but such approval does not waive the written report requirement.
- No location shall be constructed or moved, no well shall be plugged, and no drilling or workover
  equipment shall be removed from a well to be placed in a suspended status without prior approval
  of the BLM Vernal Field Office. If operations are to be suspended for more than 30 days, prior
  approval of the BLM Vernal Field Office shall be obtained and notification given before resumption
  of operations.
- Pursuant to Onshore Oil & Gas Order No. 7, this is authorization for pit disposal of water produced from this well for a period of 90 days from the date of initial production. A permanent disposal method must be approved by this office and in operation prior to the end of this 90-day period. In order to meet this deadline, an application for the proposed permanent disposal method shall be submitted along with any necessary water analyses, as soon as possible, but no later than 45 days after the date of first production. Any method of disposal which has not been approved prior to the end of the authorized 90-day period will be considered as an Incident of Noncompliance and will be grounds for issuing a shut-in order until an acceptable manner for disposing of said water is provided and approved by this office.
- Unless the plugging is to take place immediately upon receipt of oral approval, the Field Office Petroleum Engineers must be notified at least 24 hours in advance of the plugging of the well, in order that a representative may witness plugging operations. If a well is suspended or abandoned, all pits must be fenced immediately until they are backfilled. The "Subsequent Report of Abandonment" (Form BLM 3160-5) must be submitted within 30 days after the actual plugging of the well bore, showing location of plugs, amount of cement in each, and amount of casing left in hole, and the current status of the surface restoration.

Sundry Number: 26997 API Well Number: 43013500630000

	STATE OF UTAH		FORM 9
ı	DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MININ		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-73088
SUNDR	Y NOTICES AND REPORTS O	N WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	posals to drill new wells, significantly de reenter plugged wells, or to drill horizont n for such proposals.		7.UNIT or CA AGREEMENT NAME: GMBU (GRRV)
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: HAWKEYE FED 5-27-8-16
2. NAME OF OPERATOR: NEWFIELD PRODUCTION CO	DMPANY		9. API NUMBER: 43013500630000
3. ADDRESS OF OPERATOR: Rt 3 Box 3630 , Myton, UT		HONE NUMBER: Ext	9. FIELD and POOL or WILDCAT: MONUMENT BUTTE
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2122 FNL 0798 FWL			COUNTY: DUCHESNE
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: SWNW Section:	tip, RANGE, MERIDIAN: 27 Township: 08.0S Range: 16.0E Meridia	an: S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
NOTICE OF INTENT Approximate date work will start: 6/30/2012  SUBSEQUENT REPORT Date of Work Completion:	CHANGE TO PREVIOUS PLANS  CHANGE WELL STATUS  DEEPEN	ALTER CASING CHANGE TUBING COMMINGLE PRODUCING FORMATIONS FRACTURE TREAT	CASING REPAIR CHANGE WELL NAME CONVERT WELL TYPE NEW CONSTRUCTION
SPUD REPORT Date of Spud:  DRILLING REPORT Report Date:	OPERATOR CHANGE  PRODUCTION START OR RESUME  REPERFORATE CURRENT FORMATION  TUBING REPAIR  WATER SHUTOFF  WILDCAT WELL DETERMINATION	PLUG AND ABANDON RECLAMATION OF WELL SITE SIDETRACK TO REPAIR WELL VENT OR FLARE SI TA STATUS EXTENSION OTHER	PLUG BACK  RECOMPLETE DIFFERENT FORMATION  TEMPORARY ABANDON  WATER DISPOSAL  APD EXTENSION  OTHER:
Newfield proposes t	COMPLETED OPERATIONS. Clearly show all to extend the Application for For one year.	Permit to Drill this well	<u>'</u>
NAME (PLEASE PRINT) Mandie Crozier	<b>PHONE NUMBER</b> 435 646-4825	R TITLE Regulatory Tech	
SIGNATURE N/A		<b>DATE</b> 6/22/2012	

Sundry Number: 26997 API Well Number: 43013500630000



#### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

#### Request for Permit Extension Validation Well Number 43013500630000

API: 43013500630000

Well Name: HAWKEYE FED 5-27-8-16

Location: 2122 FNL 0798 FWL QTR SWNW SEC 27 TWNP 080S RNG 160E MER S

Company Permit Issued to: NEWFIELD PRODUCTION COMPANY

Date Original Permit Issued: 6/30/2009

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

• If located on private land, has the ownership changed, if so, has the surface agreement been updated?  Yes  No
<ul> <li>Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?  Yes  No</li> </ul>
• Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No
• Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location?  Yes  No
• Has the approved source of water for drilling changed?   Yes  No
<ul> <li>Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?</li> <li>Yes</li> <li>No</li> </ul>
• Is bonding still in place, which covers this proposed well?   Yes   No
meture. Mandia Craniar Deta. C/22/2042

Signature: Mandie Crozier Date: 6/22/2012

Title: Regulatory Tech Representing: NEWFIELD PRODUCTION COMPANY

Sundry Number: 38585 API Well Number: 43013500630000

	STATE OF UTAH		FORM 9
	DEPARTMENT OF NATURAL RESOURCE DIVISION OF OIL, GAS, AND MINI		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-73088
SUNDF	RY NOTICES AND REPORTS C	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	oposals to drill new wells, significantly d reenter plugged wells, or to drill horizon n for such proposals.		7.UNIT or CA AGREEMENT NAME: GMBU (GRRV)
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: HAWKEYE FED 5-27-8-16
2. NAME OF OPERATOR: NEWFIELD PRODUCTION CO	OMPANY		9. API NUMBER: 43013500630000
3. ADDRESS OF OPERATOR: Rt 3 Box 3630 , Myton, UT		PHONE NUMBER: Ext	9. FIELD and POOL or WILDCAT: MONUMENT BUTTE
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2122 FNL 0798 FWL			COUNTY: DUCHESNE
QTR/QTR, SECTION, TOWNSI Qtr/Qtr: SWNW Section:	HIP, RANGE, MERIDIAN: 27 Township: 08.0S Range: 16.0E Merid	ian: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICATI	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
A MOTION OF MITTING	ACIDIZE [	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start: 6/30/2013	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
0/30/2013	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
bate of work completion.	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT Date of Spud:	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION
·	WILDCAT WELL DETERMINATION	OTHER	OTHER:
12. DESCRIBE PROPOSED OR	COMPLETED OPERATIONS. Clearly show al	I pertinent details including dates, o	depths, volumes, etc.
Newfield proposes	to extend the Application for	Permit to Drill this well	Approved by the
	for on year.		Utah Division of Oil, Gas and Mining
			Date: June 05, 2013
			By: Laggill
			<b>4</b> 3
NAME (PLEASE PRINT) Mandie Crozier	<b>PHONE NUMBE</b> 435 646-4825	R TITLE Regulatory Tech	
SIGNATURE N/A		<b>DATE</b> 6/4/2013	

Sundry Number: 38585 API Well Number: 43013500630000



#### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

#### Request for Permit Extension Validation Well Number 43013500630000

**API**: 43013500630000

Well Name: HAWKEYE FED 5-27-8-16

Location: 2122 FNL 0798 FWL QTR SWNW SEC 27 TWNP 080S RNG 160E MER S

Company Permit Issued to: NEWFIELD PRODUCTION COMPANY

Date Original Permit Issued: 6/30/2009

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

• If located on private land, has the ownership changed, if so, has the surface agreement been updated?  Yes  No
<ul> <li>Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?</li> <li>Yes</li> <li>No</li> </ul>
• Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No
• Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location?  Yes  No
• Has the approved source of water for drilling changed?   Yes  No
<ul> <li>Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?</li> <li>Yes</li> <li>No</li> </ul>
• Is bonding still in place, which covers this proposed well?   Yes   No
matures Mandia Cranian Data: C/A/2042

Signature: Mandie Crozier Date: 6/4/2013

Title: Regulatory Tech Representing: NEWFIELD PRODUCTION COMPANY



# State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

August 28, 2013

Mandie Crozier Newfield Production Company Route #3 Box 3630 Myton, UT 84052

Re:

APDs Rescinded for Newfield Production Company,

**Duchesne County** 

Dear Ms. Crozier:

Enclosed find the list of APDs that you have asked to be rescinded. No drilling activity at these locations has been reported to the division. Therefore, approval to drill these wells is hereby rescinded, effective August 27, 2013.

A new APD must be filed with this office for approval <u>prior</u> to the commencement of any future work on the subject location.

If any previously unreported operations have been performed on this well location, it is imperative that you notify the Division immediately.

Sincerely,

Diana Mason

**Environmental Scientist** 

cc: Well File

Bureau of Land Management, Vernal

SITLA, Ed Bonner





#### **APD's to Rescind**

Mandie Crozier <mcrozier@newfield.com>
To: "dianawhitney@utah.gov" <dianawhitney@utah.gov>

Tue, Aug 27, 2013 at 4:18 PM

Newfield would like to have the following Approved APD's Rescinded. (See attached list). Most of these APD's were permitted and approved in 2010 or earlier. We would like to emphasize that this is not an on-going issue and that we have drilled or plan to drill 95% of the APD's we've applied for in recent years. These were some areas and play types that we were assessing that we had to permit in advance due to long permit lag time – this caused us to "over-permit" these areas/plays so that we would have options to drill if successful.

### **Mandie Crozier**

Regulatory Specialist.

Office: 435-646-4825 Mobile: 435-401-8335





APD's to Rescind\_001.pdf

4301350085 4301334225 4301350025 4301350048 4301350033 4301350094 4301350034 4301334252 4301350086 4301350056 4301350040 4301350144 4301334170 4301350057 4301350027 4301334192 Comment TYPE 40 40 40 6 40 40 40 4 40 40 40 40 4 4 40 6 UTSL065914 UTU73088 UTU77339 UTU73088 UTU69060 UTU69061 UTU73088 UTU67168 09069NTU UTU67168 UTU67168 UTU73088 UTU69061 UTU81000 UTU73089 STATE Lease 11-21-8-16 11-22-8-16 10-21-8-16 10-22-8-16 11-35-8-15 12-22-8-16 12-25-8-15 12-27-8-16 11-27-8-16 11-36-8-15 13-19-8-16 1-21-8-16 1-25-8-15 1-27-8-16 1-29-8-16 1-30-8-16 Nun HAWKEYE FEDERAL HAWKEYE FEDERAL HAWKEYE FEDERAL HAWKEYE FEDERAL Well Name **FEDERAL FEDERAL FEDERAL** FEDERAL FEDERAL **FEDERAL FEDERAL FEDERAL** FEDERAL **FEDERAL** FEDERAL STATE Case Number UTU87538X 
-> Wis assund on 4/2012

Γ	1			r	Т				T				·			
4301334169	4301350029	4301350100	4301350055	4301334168	4301350028	4301334167	4301350090	4301350030	4301350891	4301350041	4301334178	4301334200	4301350082	4301334177	4301334190	4301350099
40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40
UTU73089	UTU69061	UTU77339	UTU62848	UTU73089	UTU69060	UTU73089	UTU74868	UTU69060	UTU74868	UTU73088	UTU69061	UTU74389	UTU76561	UTU69060	UTU81000	UTU76561
14-19-8-16	14-21-8-16	14-22-8-16	14-27-8-16	15-19-8-16	15-21-8-16	16-19-8-16	1A-22-8-16	2-21-8-16	2-22-8-16	2-27-8-16	2-29-8-16	2-31-8-16	3-22-8-16	3-29-8-16	3-30-8-16	4-22-8-16
FEDERAL	FEDERAL	FEDERAL	TRAVIS FEDERAL	FEDERAL	FEDERAL	FEDERAL	FENCELINE FEDERAL	FEDERAL	FENCELINE FEDERAL	HAWKEYE FEDERAL	FEDERAL	WEST POINT FEDERAL	FEDERAL	FEDERAL	FEDERAL	FEDERAL
UTU87538X	UTU87538X	UTU87538X	UTU87538X	UTU87538X	UTU87538X	UTU87538X	UTU87538X	UTU87538X	UTU87538X	UTU87538X	UTU87538X	UTU87538X	UTU87538X	UTU87538X	UTU87538X	UTU87538X

					ī	•								,		,
4301350130	4301350062	4301334176	4301350083	4301350133	4301350063	4301334189	4301334197	4301350031	4301350084	4301350064	4301334188	4301334196	4301334247	4301350091	4301350058	4301334248
40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40
UTU74868	UTU77339	UTU69060	UTU76561	UTU74868	UTU73088	UTU81000	UTU74389	09069NTN	UTU76561	UTU73088	UTU81000	UTU74389	UTU67168	UTU74868	UTU73088	UTU67168
4-23-8-16	4-27-8-16	4-29-8-16	5-22-8-16	5-23-8-16	5-27-8-16	5-30-8-16	5-31-8-16	6-21-8-16	6-22-8-16	6-27-8-16	6-30-8-16	6-31-8-16	6-35-8-15	7-22-8-16	7-27-8-16	7-35-8-15
FENCELINE FEDERAL	FEDERAL	FEDERAL	FEDERAL	FENCELINE FEDERAL	HAWKEYE FEDERAL	FEDERAL	WEST POINT FEDERAL	FEDERAL	FEDERAL	HAWKEYE FEDERAL	FEDERAL	WEST POINT FEDERAL	FEDERAL	FENCELINE FEDERAL	HAWKEYE FEDERAL	FEDERAL
UTU87538X	UTU87538X	UTU87538X	UTU87538X	UTU87538X	UTU87538X	UTU87538X	UTU87538X	UTU87538X	UTU87538X	UTU87538X	UTU87538X	UTU87538X	UTU87538X	UTU87538X	UTU87538X	UTU87538X

						÷	-> C+10	→ Sit10	3+34	1 SIFIR
4301350032	4301350092	4301334249	4301350089	4301350093	4301334250	4301350835	4301350836	4301350837	4301350838	4301350839
40	40	40	40	40	40	20	20	20	20	20
UTU69060	UTU74868	UTU67168	UTU77339	UTU73088	UTU67168	STATE	STATE	STATE	STATE	STATE
8-21-8-16	8-22-8-16	8-35-8-15	9-20-8-16	9-22-8-16	9-35-8-15	G-32-8-16	H-32-8-16	L-32-8-16	Q-32-8-16	R-32-8-16
FEDERAL	FENCELINE FEDERAL	FEDERAL	FEDERAL	HAWKEYE FEDERAL	FEDERAL	GMBU	GMBU	GMBU	GMBU	GMBU
UTU87538X	UTU87538X	UTU87538X	UTU87538X	UTU87538X	UTU87538X	UTU87538X	UTU87538X	UTU87538X	UTU87538X	UTU87538X



## **United States Department of the Interior**

BUREAU OF LAND MANAGEMENT
Green River District
Vernal Field Office
170 South 500 East
Vernal, UT 84078
http://www.blm.gov/ut/st/en/fo/vernal.html



COPP

OCT 2 8 2013

IN REPLY REFER TO: 3160 (UTG011)

Mandie Crozier Newfield Production Company Route 3, Box 3630 Myton, UT 84052

Re: Request to Rescind Approved APD

Well No: Hawkeye Federal 5-27-8-16

SWNW, Sec. 27, T8S, R16E

Duchesne County, Utah

Lease No. UTU-73088

43 013 50063

Dear Ms. Crozier:

The Application for Permit to Drill (APD) for the above-referenced well was approved on July 22, 2011. This office is rescinding its approval of the referenced Application for Permit to Drill per your request to this office in an email message to Land Law Examiner Robin Hansen received on August 27, 2013. If you intend to drill at this location in the future, a new Application for Permit to Drill must be submitted.

This office requires a letter confirming that no surface disturbance has been made for this drill site. Any surface disturbance associated with the approved location of this well is to be rehabilitated. A schedule for this rehabilitation must be submitted to this office. Your cooperation in this matter is appreciated.

If you have any questions regarding APD processing, please contact Leslie Buhler at (435) 781-3432.

Sincerely,

Jerry Kenczka

Assistant Field Manager Lands & Resource Minerals

RECEIVED

/ 0 4 2013

DIV. OFOIL, GAS&MINING

